

Your Personalised Land Rover

RANGE ROVER VELAR

R-DYNAMIC SE Ingenium 3,0 litre 6-cylinder 340PS Turbocharged Petrol (Automatic) All Wheel Drive





EXTERIOR



EXTERIOR FEATURES

COLOURS	Carpathian Grey
WHEELS	20" Style 7014
WHEELS	All-season tyres
SPARE WHEEL	20" full size spare wheel
ROOF COLOUR	Body-coloured roof
ROOF TYPE	Sliding panoramic roof
GLASS	Privacy glass
HEADLIGHTS	Matrix LED headlights with signature DRL
HEADLIGHTS OPTIONS	No fog lights



COLOURS



WHEELS



ROOF COLOUR



ROOF TYPE



GLASS



HEADLIGHTS

INTERIOR



INTERIOR FEATURES

TRIM STYLE	Perforated grained leather seat facings
TRIM	Ebony perforated grained leather seat facings with Ebony interior
SEAT FUNCTIONALITY	14-way driver memory front seats
INTERIOR UPGRADES	Standard interior
HEADLINING	Ebony Morzine headlining
FINISHERS	Shadow Aluminium trim finisher
STEERING WHEEL	Leather steering wheel
AUDIO	Meridian™ Sound System
DRIVER DISPLAY	Analogue Dials with Central TFT Display



TRIM



HEADLINING



FINISHERS



STEERING WHEEL



AUDIO



DRIVER DISPLAY

STANDARD FEATURES

VISUAL PACKS

R-Dynamic Exterior Pack

EXTERIOR FEATURES

Acoustic laminated windscreen	Rain sensing windscreen wipers	Heated, electric, power fold door mirrors with approach lights and auto-dimming driver side
Flush deployable door handles	Unpainted brake calipers	380mm front and 325mm rear brakes
Velar and R-Dynamic badge	No badges	Heated rear window with timer
Tailgate spoiler	Powered tailgate / boot lid	Electric windows with one-touch open/close and anti-trap
Rear wash wiper	R-Dynamic Exterior Pack	

DRIVING AIDS

Blind Spot Assist Pack	Rear Camera	Front and Rear Parking Aid
Lane Keep Assist	Blind Spot Assist	Rear Traffic Monitor
Driver Condition Monitor	All Terrain Progress Control (ATPC)	Adaptive Cruise Control
Emergency Braking		

TRANSMISSION AND DYNAMICS

Terrain Response with Dynamic Program	Trailer Stability Assist (TSA)	Speed Proportional Electronic Power Assisted Steering (EPAS)
Coil suspension	Single-speed transfer box (high range only)	8-speed Automatic Transmission
Adaptive Dynamics	Hill Launch Assist	Dynamic Stability Control (DSC)
Low traction launch	Electronic Traction Control (ETC)	Roll Stability Control (RSC)
Cornering Brake Control (CBC)	Hill Descent Control (HDC)	Electric Parking Brake (EPB)
Anti-lock Braking System (ABS)	Electronic Brake-force Distribution (EBD)	Satin Chrome gearshift paddles
Open Differential with Torque Vectoring by Braking		

HEADLIGHTS AND LIGHTING

Automatic headlights	Automatic Headlight Levelling	Headlight power wash
Follow me home lighting	Rear fog lights	Front and Rear Animated Directional Indicators

WHEELS AND OPTIONS

Tyre Pressure Monitoring System (TPMS)
--

INTERIOR FEATURES

Lower Touchscreen	Manually adjustable steering column	Auto-dimming interior rear view mirror
Illuminated vanity mirrors	Two-zone Climate Control	Bright metal pedals
Cabin lighting	Front and rear cupholders	Standard IP end caps
Metal front treadplates with R-Dynamic branding	Metal loadspace scuff plate	Air Quality Sensor

SEATING FUNCTIONALITY

40:20:40 split fold rear seat	Passive front headrests	Rear centre headrest
-------------------------------	-------------------------	----------------------

CONVENIENCE AND INFOTAINMENT

Intrusion sensor	Power Socket Pack 1	Loadspace cover
Lockable glovebox		

SAFETY & SECURITY

Emergency Brake Assist	Brake pad wear indicator	Rear ISOFIX
Seat belt reminder	Power operated child locks	Global lock/unlock switch on driver door

SAFETY & SECURITY

Lock only switch on front passenger door

6 airbags

Keyless Entry

Voice control

INFOTAINMENT

Bluetooth® connectivity

Remote

Wireless Apple CarPlay®

Wireless Android Auto™

Pivi Pro

TECHNICAL SPECIFICATIONS

PERFORMANCE

Maximum speed km/h (mph)	240 (149)‡
Acceleration (secs) 0-100 km/h (0-60mph)	6,3 (6,0)

FUEL ECONOMY

Combined NEDC Equivalent (NEDC2) Consumption - l/100km (mpg)	-
Combined NEDC Equivalent (NEDC2) CO ₂ Emissions - g/km	-
Combined WLTP Consumption - l/100km (mpg)	-
Combined WLTP CO ₂ Emissions - g/km	-
Combined NEDC Equivalent (NEDC2) - EV Range km (miles)	-
Combined WLTP EV Range km (miles)	-
Tank capacity (litres approx.)	82

POWERTRAIN

Capacity (cc)	2.995
Maximum power (PS/kW/rpm)	340 / 250 / 5.500 - 6.500
Maximum torque (Nm/lb-ft/rpm)	480 / 354,0 / 1.500 - 4.500

POWERTRAIN

Transmission	Automatic
--------------	-----------

WEIGHTS

Unladen weight (EU) (kg)	△
Unladen weight (DIN) (kg)	2.010▲
Gross Vehicle Weight (GVW) (kg)	2.670

TOWING

Unbraked trailer (kg)	750
Maximum towing (kg)	2.400
Maximum coupling point (nose weight) (kg)	100
Maximum vehicle and trailer combination (GTW) (kg)	5.170

ROOF CARRYING

Maximum roof load (including cross bars) (kg)	79
---	----

DIMENSIONS

Height (mm)	1.683 (Coil suspension) 1.678 (Air suspension)◇
Length (mm)	4.797
Width with mirrors folded (mm)	2.041
Width with mirrors out (mm)	2.147
Front wheel track (mm)	1.640,2 (Coil suspension) 1.643,6 (AIR suspension)◇
Rear wheel track (mm)	1.657,2 (Coil suspension) 1.662,8 (Air suspension)◇
Wheelbase (mm)	2.874

HEADROOM

Maximum front/rear headroom with standard roof (mm)	993 / 988
Maximum front/rear headroom with panoramic roof (mm)	970 / 966

LEGROOM

Maximum front/rear legroom (mm)	1.023 / 944
---------------------------------	-------------

LOADSPACE CAPACITY

Height (mm)	687
Width (mm)	1.245
Width between arches (mm)	1.050
Length behind first row (mm)	1.791
Maximum loadspace volume behind first row - Dry (litres)	1.358◇
Maximum loadspace volume behind first row - Wet (litres)	1.798◆
Length behind second row (mm)	988
Maximum loadspace volume behind second row - Dry (litres)	552◇
Maximum loadspace volume behind second row - Wet (litres)	735◆
Length behind third row (mm)	-
Maximum loadspace volume behind third row - Dry (litres)	-
Maximum loadspace volume behind third row - Wet (litres)	-

GROUND CLEARANCE - STANDARD

Ride height (mm)	214 (Coil suspension) 205 (Air suspension)
------------------	--

GROUND CLEARANCE - STANDARD

Approach Angle	23,6° (Coil suspension) 22,5° (Air suspension) ◇
Departure Angle	25,0° (Coil suspension) 24,8° (Air suspension) ◇
Ramp Angle	19,1° (Coil suspension) 18,3° (Air suspension) ◇

GROUND CLEARANCE - OFF ROAD

Ride height (mm)	213 (Coil suspension) 251 (Air suspension)
Approach Angle	25,0° (Coil suspension) 27,5° (Air suspension) ◇
Departure Angle	27,0° (Coil suspension) 29,5° (Air suspension) ◇
Ramp Angle	22,0° (Coil suspension) 23,5° (Air suspension) ◇

TURNING CIRCLE

Kerb-to-kerb (m)	11,95
Wall-to-wall (m)	12,35
Turns lock-to-lock (no. of turns)	2,52

WADING DEPTH

Maximum wading depth (mm)	530 (Coil suspension) 580 (Air suspension) ◇
---------------------------	--

YOUR CONFIGURATION

https://buildyour.landrover.com/lr2/r/summary/_/en_xi/l560_k23/4a8gw/a-p340_a-rdynamic_a-swb_rd2/n-031fw_n-041cz_n-047db_n-080ac_n-1au_n-303si



†The figures provided are NEDC2 calculated from official manufacturer's WLTP tests in accordance with EU legislation with a fully charged battery. For comparison purposes only. Real world figures may differ. CO2, fuel economy, energy consumption and range figures may vary according to factors such as driving styles, environmental conditions, load, wheel fitment and accessories fitted. NEDC2 are figures calculated using a Government formula from WLTP figures equivalent to what they would have been under the old NEDC test. The correct tax treatment can then be applied.

††VIEW WLTP FIGURES

View WLTP figures. The figures provided are as a result of official manufacturer's tests in accordance with EU legislation with a fully charged battery. For comparison purposes only. Real world figures may differ. CO2, fuel economy, energy consumption and range figures may vary according to factors such as driving styles, environmental conditions, load, wheel fitment, accessories fitted, actual route and battery condition. Range figures are based upon production vehicle over a standardised route.

±The figures provided are NEDC calculated from official manufacturer's tests. Figures may vary according to environment and driving style. For comparison purposes only. Real world figures may differ

‡Top speed on engines with coil suspension is 210km/h (130mph).

‡‡When combined with electric motor.

△Includes a 75kg driver, full fluids and 90% fuel.

▲Includes full fluids and 90% fuel.

◇Dry: Volume as measured with VDA-compliant solid blocks (200mm x 50mm x 100mm). Volume measured up to the headliner. Boot configuration and total loadspace will vary by vehicle specification (model and powertrain) and market.

◆Wet: Volume as measured by simulating the loadspace filled with liquid. Volume measured up to the headliner. Boot configuration and total loadspace will vary by vehicle specification (model and powertrain) and market.

◇When fitted with Electronic Air Suspension.

Weights reflect vehicles to standard specifications. Optional extras increase weight.

- [COOKIE AND PRIVACY POLICY](#)
- [TERMS AND CONDITIONS](#)
- [CONTACT US](#)
- [INTERNATIONAL STANDARDS](#)
- [SELECT A COUNTRY](#)
- [SITE DISCLAIMER](#)
- [ACCESSIBILITY STATEMENT](#)

Important note on imagery & specification. We are living through exceptional times. Due to the Covid pandemic we have been prevented or delayed in the creation of new images of current model years. Now the global impact of micro-chip shortages is further affecting build specifications, options and launch timings. Until this unique event settles, please note that **any images cannot be updated to 22/23/24 model year specifications**. Features, options, trim and colour schemes will differ from many images. Customers are urged to consult your local Retailer for detailed 22/23/24 model year specifications and do not base an order on marketing imagery and specification alone.

Jaguar Land Rover Limited is constantly seeking ways to improve the specification, design and production of its vehicles, parts and accessories and alterations take place continually, and we reserve the right to change without notice. Some features may vary between optional and standard for different model years. The information, specification, engines and colours on this website are based on European specification and may vary from market to market and are subject to change without notice. Some vehicles are shown with optional equipment and retailer-fit accessories that may not be available in all markets. Please contact your local retailer for local availability and prices.

[VIEW REGULATION \(EU\) 2020/740 PDF](#)

